



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/556,473	04/21/2000	Michael Andrew Mang	0100.0000610	6795

23418 7590 06/17/2005

VEDDER PRICE KAUFMAN & KAMMHOLZ  
222 N. LASALLE STREET  
CHICAGO, IL 60601

EXAMINER
----------

LI, AIMEE J

ART UNIT	PAPER NUMBER
----------	--------------

2183

DATE MAILED: 06/17/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/556,473

Applicant(s)

MANG ET AL.

Examiner

Aimee J. Li

Art Unit

2183

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 21 March 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-24 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)             | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

### DETAILED ACTION

1. Claims 1-22 have been considered. New claims 23-24 have been added as per Applicant's request.

#### *Papers Submitted*

2. It is hereby acknowledged that the following papers have been received and placed of record in the file: Amendment as filed 21 March 2005; RCE as filed 21 March 2005; and a 1 month Extension of Time as filed 21 March 2005.

#### *Claim Rejections - 35 USC § 103*

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-10, 12-19, and 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alidina et al., U.S. Patent Number 6,446,193 (herein referred to as Alidina) in view of Gregory T. Byrd and Mark A. Holliday's "Multithreaded Processor Architectures" ©1995 (herein referred to as Byrd).

5. Referring to claim 1, Alidina has taught an accumulation circuit that supports a plurality of threads, comprising:

- a. A first operation unit operably coupled to receive a first operand and a second operand corresponding to an operation code issued, wherein the operation unit combines the first and second operands to produce a first operation result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)

Art Unit: 2183

- b. A plurality of accumulation registers operably coupled to the first operation unit, wherein each accumulation register of the plurality of accumulation registers (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3, element 30)
  - c. A selection block operably coupled to the plurality of accumulation registers and the first operation unit, wherein the selection block selects the second operand provided to the first operation unit from a set of potential operands, wherein the set of potential operands includes contents of each accumulation register of the plurality of accumulation registers (Alidina column 4, lines 63-66 and Figure 3, element SMUX).
  - d. Wherein a selected accumulation register stores the first operation result (Alidina column 1, line 64 to column 2, line 5)
6. Alidina has not taught multi-threading and having registers and operands which correspond to each individual thread. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught multi-threading and having registers and operands which correspond to each individual thread (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary

Art Unit: 2183

skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

7. Referring to claim 2, Alidina has taught a control block operably coupled to the selection block and the plurality of accumulation registers, wherein the control block receives information based on the operation code and generates control information provided to the plurality of accumulation registers and the selection block, wherein the control information provided to the plurality of accumulation registers causes the selected accumulation register to store the result when the operation code corresponds to an accumulate operation (Alidina column 5, lines 8-18). Alidina has not taught multi-threading and having registers and operands which correspond to each individual thread. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught multi-threading and having registers and operands which correspond to each individual thread (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

8. Referring to claim 3, Alidina has taught wherein when the operation code corresponds to an accumulate operation, the control block provides the control information to the selection

Art Unit: 2183

block such that the selection block selects a current value stored in the selected accumulation register as the second operand (Alidina columns 1-2, lines 64-5 and Figure 3).

9. Referring to claim 4, Alidina has taught wherein the first operation unit performs an addition operation such that the result of an accumulate operation is a sum of the current value stored in the selected accumulation register and the first operand (Alidina columns 1-2, lines 64-5 and Figure 3).

10. Referring to claim 5, Alidina has taught a second operation unit operably coupled to the first operation unit, wherein the second operation unit is operably coupled to receive a third operand and a fourth operand, wherein the second operation unit combines the third and fourth operands to produce a second operation result, wherein the second operation result is provided to the first operation unit as the first operand (Alidina columns 4-5, lines 26-7 and Figure 3).

11. Referring to claim 6, Alidina has taught wherein the second operation unit performs multiplication operations such that a plurality of multiply and accumulate functions are supported by multi-thread accumulation circuit (Alidina column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3). Alidina has not taught multi-threading and having registers and operands which correspond to each individual thread. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught multi-threading and having registers and operands which correspond to each individual thread (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory,

Art Unit: 2183

to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

12. Referring to claim 7, Alidina has not taught an arbitration module operably coupled to the control block and the second operation unit, wherein the arbitration module receives operation codes from a plurality of thread controllers corresponding to the plurality of threads, wherein the arbitration module determines order of execution of the operation codes received. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught an arbitration module operably coupled to the control block and the second operation unit, wherein the arbitration module receives operation codes from a plurality of thread controllers corresponding to the plurality of threads, wherein the arbitration module determines order of execution of the operation codes received (Byrd page 39). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

13. Referring to claim 8, Alidina has taught wherein the accumulation circuit is included in a vector engine that performs at least one of dot product operations, vector multiply accumulate operations, vector addition operations, and vector multiplication operations (Alidina column 2,

Art Unit: 2183

lines 57-60). Alidina has not taught multi-threading. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught multi-threading (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

14. Referring to claim 9, Alidina has taught a memory operably coupled to the selection block, the first operation unit, and the control block, wherein the memory stores the first operation result produced by the first operation unit, wherein contents of the memory are selectively included in the set of potential operands based on a portion of the control information generated by the control block (Alidina column 2, lines 12-19 and 46-48; columns 4-5, lines 26-7; and Figure 3).

15. Referring to claim 10, Alidina has taught wherein at least a portion of the plurality of accumulation registers include a first register section and a second register section, wherein the first register section is used for accumulation operations corresponding to a first set of operation codes and the second section is used for accumulation operations corresponding to a second set of operation codes (Alidina columns 1-2, lines 54-15 and Figure 1).

16. Referring to claim 12, Alidina has taught a method for performing a plurality of combine and accumulate operations, comprising:

Art Unit: 2183

- a. Receiving a first set of operands, wherein the first set of operands corresponds to a first accumulation operation (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
- b. Combining the first set of operands to produce a first result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
- c. Storing the first result in the selected accumulation register to produce a first accumulated value (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
- d. Receiving a second set of operands corresponding to the selected thread, wherein the second set of operands corresponds to a second accumulation operation (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
- e. Combining the second set of operands to produce a second result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
- f. Combining the second result with the first accumulated value to produce a second accumulated value (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
- g. Storing the second accumulated value in the selected register to produce a second accumulated result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3).
- h. Selecting a selected accumulation register from a plurality of accumulation registers (Alidina column 1, line 64 to column 2, line 5)

17. Alidina has not taught multi-threading and having registers and operands which correspond to each individual thread. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught multi-threading and having registers and operands which correspond to each individual thread (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

18. Referring to claim 13, Alidina has taught wherein combining the first set of operands includes combining the first set of operands using a multiplication operation, and wherein the combining the second set of operations further comprises combining the second set of operands using a multiplication operation (Alidina column 2, lines 46-48| columns 4-5, lines 26-7; and Figure 3).

19. Referring to claim 14, Alidina has taught wherein combining the second result with the first accumulated value further comprises combining the second result with the first accumulated value using an addition operation such that a multiply and accumulate operation for the first and second sets of operands is achieved (Alidina column 2, lines 46-65).

20. Referring to claim 15, Alidina has taught the method comprises:

Art Unit: 2183

- a. Receiving subsequent sets of operands corresponding to subsequent accumulation operations (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3);
  - b. For each subsequent set of operands:
    - i. Combining the subsequent set of operands to produce a subsequent result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
    - ii. Combining the subsequent result with a current value stored in the selected accumulation register to produce a subsequent accumulated result (Alidina Abstract, lines 1-4; columns 1-2, lines 64-5; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
    - iii. Storing the subsequent accumulated result in the selected accumulation register such that the current value stored in the selected accumulation register is updated (Alidina Abstract, lines 1-4; columns 1-2, lines 64-5; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3).
21. Alidina has not taught multi-threading and having registers and operands which correspond to each individual thread. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught multi-threading and having registers and operands which correspond to each individual thread (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other

Art Unit: 2183

procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

22. Referring to claim 16, Alidina has taught performing combination operations subsequent to combining the first set of operands and prior to combining the second set of operands (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3). Alidina has not taught the operations corresponding to at least one additional thread of the plurality of threads. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught the operations corresponding to at least one additional thread of the plurality of threads (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

23. Referring to claim 17, Alidina has taught a multi-thread multiply and accumulate circuit, comprising:

- a. A multiplier operably coupled to the arbitration module, wherein the multiplier combines a set of operands corresponding to each command code being executed

to produce a product from which the command code being executed originated (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)

- b. An adder operably coupled to the multiplier, wherein the adder combines the product of the multiplier with a second operand that is received to produce a sum (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
  - c. A plurality of accumulation registers operably coupled to the adder, wherein each of the plurality of accumulation registers (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
  - d. A selection block operably coupled to the plurality of accumulation registers and the adder, wherein the selection block selects the second operand from a set of potential operands based on control information derived from the command code being executed, wherein the set of potential operands includes values stored in each of the plurality of accumulation registers (Alidina column 4, lines 63-66 and Figure 3, element SMUX).
  - e. Wherein a selected accumulation register stores the sum corresponding to the selected thread
  - f. Wherein at least a portion of the command codes correspond to multiply and accumulate operations (Alidina column 5, lines 8-18).
24. Alidina has not taught multi-threading and having registers and operands which correspond to each individual thread. However, Alidina has taught a digital signal processor

Art Unit: 2183

specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught multi-threading and having registers and operands which correspond to each individual thread (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

25. In addition, Alidina has not explicitly taught an arbitration module that receives command codes corresponding to a plurality of threads, wherein the arbitration module determines an order of execution of the command codes. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught an arbitration module that receives command codes corresponding to a plurality of threads, wherein the arbitration module determines an order of execution of the command codes (Byrd pages 39). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

Art Unit: 2183

26. Referring to claim 18, Alidina has taught wherein the set of potential operands includes at least one additional operand, wherein the at least one additional operand is at least one of a constant, a state variable, and data stored in a memory structure as a result of previous operations performed by the circuit (Alidina column 2, lines 12-19 and 46-48; columns 4-5, lines 26-7; and Figure 3).

27. Referring to claim 19, Alidina has taught wherein at least a portion of the plurality of accumulation registers include a first register section and a second register section, wherein the first register section is used for accumulation operations corresponding to a first set of operation codes and the second section is used for accumulation operations corresponding to a second set of operation codes (Alidina columns 1-2, lines 54-15 and Figure 1).

28. Referring to claim 21, Alidina has taught an accumulation circuit that supports a plurality of threads, comprising:

- a. A first operation unit operably coupled to receive a first operand and a second operand corresponding to an operation code issued, wherein the operation unit combines the first and second operands to produce a first operation result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3)
- b. A plurality of accumulation registers operably coupled to the first operation unit, wherein each accumulation register of the plurality of accumulation registers (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3, element 30)
- c. A selection block operably coupled to the plurality of accumulation registers and the first operation unit, wherein the selection block selects the second operand

Art Unit: 2183

provided to the first operation unit from a set of potential operands, wherein the set of potential operands includes contents of each accumulation register of the plurality of accumulation registers (Alidina column 4, lines 63-66 and Figure 3, element SMUX).

- d. Wherein a selected accumulation register stores the first operation result (Alidina column 1, line 64 to column 2, line 5)

29. Alidina has not taught

- a. Multi-threading and having registers and operands which correspond to each individual thread; and
- b. Wherein when the operation code is dependent on the results of a previously issued operation code, the selection block will not release the dependent operation code until a predetermined amount of time has passed corresponding to the latency associated with executing the previously issued operation code.

30. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught

- a. Multi-threading and having registers and operands which correspond to each individual thread (Byrd pages 38-40); and
- b. Wherein when the operation code is dependent on the results of a previously issued operation code, the selection block will not release the dependent operation code until a predetermined amount of time has passed corresponding to the latency associated with executing the previously issued operation code (Byrd pages 38-40, 42, and 45-46).

Art Unit: 2183

31. A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

32. Referring to claim 22, Alidina has taught a control block operably coupled to the selection block and the plurality of accumulation registers, wherein the control block receives information based on the operation code and generates control information provided to the plurality of accumulation registers and the selection block, wherein the control information provided to the plurality of accumulation registers causes the selected accumulation register to store the result when the operation code corresponds to an accumulate operation (Alidina column 5, lines 8-18). Alidina has not taught multi-threading and having registers and operands which correspond to each individual thread. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught multi-threading and having registers and operands which correspond to each individual thread (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary

Art Unit: 2183

skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

33. Referring to claim 24, Alidina has taught

- a. Receiving subsequent sets of operands corresponding to subsequent accumulation (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3);
- b. For each subsequent set of operands:
  - i. Combining the subsequent set of operands to produce a subsequent result; combining the subsequent result with a current value stored in the selected accumulation register to produce a subsequent accumulated result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3); and
  - ii. Storing the subsequent accumulated result in the selected accumulation register such that the current value stored in the selected accumulation register is updated (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3, element 30).

34. Alidina has not taught multi-threading and having registers and operands which correspond to each individual thread. However, Alidina has taught a digital signal processor specializing in scientific calculations (Alidina column 1, lines 17-28). Byrd has taught multi-threading and having registers and operands which correspond to each individual thread (Byrd pages 38-40). A person of ordinary skill in the art, and as taught in Byrd, would recognize that multi-threading is best suited for scientific and engineering programs (Byrd page 38) and

Art Unit: 2183

increases the speed and efficiency in the processor by allowing the processor to run other procedures while waiting for a longer background operations, such as accessing slower memory, to complete (Byrd pages 38-40). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Byrd in the device of Alidina to increase speed and decrease processor idle time.

35. Claims 11 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alidina et al., U.S. Patent Number 6,446,193 (herein referred to as Alidina) in view of Gregory T. Byrd and Mark A. Holliday's "Multithreaded Processor Architectures" ©1995 (herein referred to as Byrd) as applied to claims 10 and 19 above, and further in view of Berkloff, U.S. Patent Number 5,673,377 (herein referred to as Berkloff).

36. Referring to claim 11, Alidina has not explicitly taught wherein the first register section accumulates diffuse color information corresponding to graphics primitives, and wherein the second register section accumulates specular color information corresponding to the graphics primitives. However, Alidina has taught that DSP processors are optimal for certain graphical and audio operations requiring multiplication, accumulation, and other processor intensive operations. Berkloff has taught that diffuse and specular color information is needed for 3-D graphical calculations (Berkloff column 1, lines 17-59). It would have been obvious to one of ordinary skill in the art to incorporate the color information of Berkloff, because it is needed in the calculations to create effective images. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the color information of Berkloff in the device of Alidina.

Art Unit: 2183

37. Referring to claim 20, Alidina has not explicitly taught wherein the first register section accumulates diffuse color information corresponding to graphics primitives, and wherein the second register section accumulates specular color information corresponding to the graphics primitives. However, Alidina has taught that DSP processors are optimal for certain graphical and audio operations requiring multiplication, accumulation, and other processor intensive operations. Berkaloff has taught that diffuse and specular color information is needed for 3-D graphical calculations (Berkaloff column 1, lines 17-59). It would have been obvious to one of ordinary skill in the art to incorporate the color information of Berkaloff, because it is needed in the calculations to create effective images. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the color information of Berkaloff in the device of Alidina.

38. Claims 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Alidina et al., U.S. Patent Number 6,446,193 (herein referred to as Alidina) in view of Parady, U.S. Patent Number 5,933,627 (herein referred to as Parady). Alidina has taught a method for performing a plurality of combine and accumulate operations comprising:

- a. Receiving a first set of operands, wherein the first set of operands corresponds to a first accumulation operation (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3);
- b. Combining the first set of operands using a multiplication operation to produce a first result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3);

Art Unit: 2183

- c. Selecting a selected accumulation register from a plurality of accumulation registers (Alidina column 4, lines 63-66 and Figure 3, element SMUX);
- d. Storing the first result in the selected accumulation register to produce a first accumulated value (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3, element 30);
- e. Receiving a second set of operands, wherein the second set of operands corresponds to a second accumulation operation (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3);
- f. Combining the second set of operands using a multiplication operation to produce a second result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3);
- g. Combining the second result with the first accumulated value to produce a second accumulated value (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3); and
- h. Storing the second accumulated value in the selected register to produce a second accumulated result (Alidina Abstract, lines 1-4; column 2, lines 46-48; columns 4-5, lines 26-7; and Figure 3, element 30); and
- i. Wherein combining the second result with the first accumulated value further comprises combining the second result with the first accumulated value using an addition operation such that a multiply and accumulate operation for the first and second sets of operands is achieved (Alidina columns 1-2, lines 64-5 and Figure 3).

Art Unit: 2183

39. Alidina has not taught

- a. Multiple threads (Parady column 1, lines 11-35; column 3, lines 34-65; and Figure 3);
- b. Register files for each thread (Parady column 2, lines 25-39; column 3, lines 34-49; and Figure 3); and
- c. Performing combination operations corresponding to at least one additional thread of the plurality of threads subsequent to combining the first set of operands and prior to combining the second set of operands (Parady column 1, line 64 to column 2, line 5; column 3, lines 57-65; column 4, lines 42-52; and Figure 3). In regards to Parady, the thread switch would occur when a cache miss or round robin trigger occurs.

40. A person of ordinary skill in the art at the time the invention was made would have recognized that multi-threading as taught by Parady eliminates the wasted cycles of a cache miss by scheduling tasks during those empty cycles, thereby improving the efficiency of the processor. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the multi-threading of Parady in the device of Alidina to improve processor efficiency.

***Response to Arguments***

41. Applicant's arguments filed 21 March 2005 have been fully considered but they are not persuasive.

42. Applicant argues in essence on pages 9-11 and 12-14

...modifying Alidina with the teachings of Byrd as suggested in the Office Action would destroy at least the three main principles of Alidina... Therefore, the combination of Alidina and Byrd do not function in the same way to obtain the same result as the claimed invention. For at least these reasons, the Office Action fails to show sufficient motivation to combine the references and, therefore, the Office Action fails to establish a *prima facie* case of obviousness.

43. This has not been found persuasive. There is no explicit statement in either reference stating that concurrent execution and multi-threaded execution cannot be used in one device. A few examples of concurrent execution in multi-threaded devices are Chung et al., U.S. Patent Number 5,404,469; Wong et al., U.S. Patent Number 5,909,695; Parady, U.S. Patent Number 5,933,627; and Harris, U.S. Patent Number 6,560,629. Also, the Applicant seems to be bodily incorporating the device of Byrd into the device of Alidina. A test of obviousness is not bodily incorporating one invention and/or device into the invention and/or device of another, but what the two would have suggested to a person of ordinary skill in the art at the time the invention was made. In this case, it is the advantages of multi-threading a system, as taught in Byrd. In response to applicant's argument summarized above, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

44. Applicant argues in essence on page 12

...The office action also does not even show or cite where the combination of Alidina and Byrd teaches... Instead, the office action merely cites to four pages of Byrd and as a result fails to explain with specificity how each claim is rejected.

45. This has not been found persuasive. Three pages out of nine have been cited. Page 39 only has figures with subtext summarizing the figures. The Examiner deemed the text written on page 38 and 40 relevant to further understanding on multi-threading and the reasons for combining Byrd with Alidina. As written in the rejection above, Alidina was relied upon to teach the accumulation registers and material relevant to the multiply-accumulate units claimed and selecting an accumulation register from multiple accumulation registers. However, Alidina has not taught multi-threading nor having different registers for each thread. Byrd was relied upon to teach this. Please refer to the rejections above for the specifics.

46. Applicant argues in essence on pages 13-14

...However, for at least the reasons provided above, since Alidina is explicitly directed to a parallel processor architecture for performing parallel operations in a single instruction, Alidina does not appear to be intended for multi-threading instructions on a plurality of accumulation registers...

47. This has not been found persuasive. Byrd was combined with Alidina into a combination rejection under 35 U.S.C. § 103(a) because Alidina did not teach nor suggest the use of multi-threading within his device. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Art Unit: 2183


*Conclusion*

48. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aimee J. Li whose telephone number is (571) 272-4169. The examiner can normally be reached on M-T 7:30am-5:00pm.

49. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

50. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AJL  
Aimee J. Li  
10 June 2005

  
EDDIE CHAN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100